

CERTIFIED SOLAR SYSTEM

BRAND: ThermoPower MODEL: VTS30-HP-G

SYSTEM TYPE: Thermosiphon, Indirect

CERTIFICATION #: 30004236

Original May 01, 2017

Certification:

Expiration Date: June 01, 2024

SRCC Standard 300-2013-01-02

The solar system listed below has been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with SRCC OG-300, Operating Guidelines for Certifying Solar Water Heating Systems, and has been certified by the SRCC. This award of certification is subject to all terms and conditions of the Program Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.

Description: Non Separable Thermosyphon Glazed, -5 °C 23 °F, Water , None, None, None

SUPPLIER:

SunMaxx Solar LLC

In Accordance with:


5042-5160 New York 206

Bainbridge, NY 13733 USA www.sunmaxxsolar.com

Single-day Rating				
Solar Energy Factor (SEF _D)	Solar Fraction (SF _D)			
0.9	0.31			

Single-day Rating Conditions: SEF_D = Solar Energy Factor (info link) SF_D = Solar Fraction (info link)

SINGLE DAY RATING CONDITIONS	SI Units	Inch-Pound Units	
System Set Temperature	57.2 °C	135 °F	
Environmental Temperature	19.7 °C	67.5 °F	
Ambient Temperature Profile Average	14.4 °C	58 °F	
Water Mains Temperature	14.4 °C	58 °F	
Delivered Load	43.3 MJ/day	41,045 Btu/day	
Solar Irradiance	4,733 Wh/m ² -day	1,500 Btu/ft ² -day	



Storage Tank(s)							
Solar Tank Vol (I) Solar Tank Vol (gal)		Aux Tank Vol (I)	Aux Tank Vol (gal)				
300	79	189	50				

Note: The auxiliary tank can have a volume between 132 and 246 liters (35 and 65 gallons).

Approximate Collector Area: 4.5 m², 47.9 ft²

The solar water system listed here has been certified by the SRCC as meeting the minimum standards for testing, installation, operation, maintenance, performance, reliability and safety as specified in SRCC Document OG-300. Thermal performance ratings are based on the successful durability and performance testing of a sample collector, where said tests have been conducted by an independent laboratory approved and listed by the SRCC. The system has been modeled using the computer simulation program TRNSYS to calculate the ratings.

Before the Supplier can make any change in design, materials, specifications, parts, or construction, the change(s) must be reported to the SRCC for evaluation of continued certification.

REMARKS:

Shawn Martin

Technical Director





CERTIFIED SOLAR SYSTEM

SUPPLIER: SunMaxx Solar LLC 5042-5160 New York 206 Bainbridge, NY 13733 USA www.sunmaxxsolar.com

In Accordance with:

SRCC Standard 300-2013-01-02

BRAND: ThermoPower MODEL: VTS30-HP-G

SYSTEM TYPE: Thermosiphon, Indirect

CERTIFICATION #: 30004236
Original May 01, 2017

Certification:

Expiration Date: June 01, 2024

The solar system listed below has been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with SRCC OG-300, Operating Guidelines for Certifying Solar Water Heating Systems, and has been certified by the SRCC. This award of certification is subject to all terms and conditions of the Program Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.

Only the following options for the collector array are approved:

Option	Collector Panel Manufacturer	Collector Panel Request Number	Collector Panel Model Number	Collector Panel Name	Quantity	Total Panel area(m²)	Total Panel area(ft²)
1	Jiangsu Sunrain Solar Energy Co. Ltd.	2012022A	TZ58/1800-30C	Sunrain	1	4.45	47.9

